

S U P P L E M E N T U M
I N D I C I S O R N I T H O L O G I C I ,

S I V E

S Y S T E M A T I S O R N I T H O L O G I A E .

S T U D I O E T O P E R A

J O A N N I S L A T H A M , M . D . S . R . S .

L O N D I N I :

P R O S T A T A P U D G . L E I G H , J . E T S . S O T H E B Y ,
Y O R K - S T R E E T , C O V E N T - G A R D E N .

M,DCCC,L.

14.
Str.

undulata. S. capite lœvi, corpore rufo-fusco, abdomine albo undulato, tectricibus
alarum remigibusque albo marginatis.

Undulated Owl, *Gen. Syn. Sup.* ii. *Add.* p. 368.

HABITAT in Insula Norfolk maris Pacifici : long. poll. 12. :—rostrum
validiusculum cæruleum : pedes nudi flavi.

ORDO II. PICÆ.

GENUS IV. LANIUS.

1.

L.

collaris. Lanius collaris, *Ind. Orn.* i. p. 69. 10.

Le Fiscal, *Levaill. Ois.* ii. p. 35. pl. 61. 62.

Collared Shrike, *Zatb. Syn.* i. p. 163. 7.—*Id. Sup.* ii. p. 68. No. 1.

HABITAT ubique in Africa.

2.

L.

Collurio. Lanius Collurio, *Ind. Orn.* i. p. 69. 11.—*Spalowsk. Vog.* 2. tab. 5.—
Hist. Prov. ii. p. 335.

L'Ecorcheur male & de jeune age, *Levaill. Ois.* ii. p. 50. pl. 64.

Red-backed Shrike, *Gen. Syn.* i. p. 167. 25.—*Id. Sup.* ii. p. 69. No. 2.

HABITAT ad Cap. B. Spei : in Egypto.

3.

L.

picatus. Lanius picatus, *Ind. Orn.* i. p. 73. 20.

Lanius Leverianus, *Muf. Lev.* p. 241. t. 59.

Corvus Collurio, *Daud. Orn.* ii. p. 246.

La Pie Piegriesche, *Levaill. Ois.* ii. p. 33. pl. 60.

Magpie Shrike, *Gen. Syn.* i. p. 192. 49.—*Id. Sup.* i. p. 54.—*Id. Sup.* ii.
p. 70. No. 3.

HABITAT in Cayana.


SUPPLEMENT. II.

to the

GENERAL SYNOPSIS

of

BIRDS.



L O N D O N .

Printed for Leigh, Sotheby & Son,
York Street, Covent Garden.

M D C C C I .

A D D I T I O N S.

CHINA
O.

DESCRIPTION.

GENUS III. O W L.

LENGTH seventeen inches: bill dusky black: the head is smooth; the face pale, with dusky markings; the feathers surrounding it margined with dusky: the general colour of the upper parts of the plumage is ferruginous chesnut, with dusky markings, but at the back part of the head and neck, with black and white irregular spots: the quills and tail powdered with darker chesnut dots, and crossed with bars of the same, at half an inch distance: the chin and throat are white; the rest of the under parts of the body and thighs are white also, but crossed with numerous fine dusky lines: legs feathered to the toes, and of the same colour; claws dusky.

PLACE.

Inhabits *China*: for this, and many of the following, I am indebted to General *Davies*.

UNDULATED
O.

DESCRIPTION.

LENGTH twelve inches: general colour on the upper parts like that of the *Brown Owl*; but most of the wing coverts and lesser quills are marked at the ends with white: the whole head and throat are of one colour, but from thence to the vent each feather is margined with white, giving an undulated appearance: the bill is large, strong, of a bluish lead colour, beset with stiff bristles at the base: legs yellow; toes bare of feathers; claws black.

PLACE.

Inhabits *Norfolk Island*.