

21.  
Wapacuthu. Str. capite lævi, corpore albo pallide rubro nigroque maculato, subtus albido lineis numerosis rufescentibus.  
Strix Wapacuthu, *Gmel. Syst.* i. p. 291.  
Wapacuthu Owl, *Arct. Zool.* ii. N° 119.—*Lath. Syn. Sup.* p. 49.  
HABITAT in sylvis circa *fretum Hudsonis*, esculenta: muribus et avibus victitans.—Long. ped. 2.—Lat. ped. 4.—Pond. lib. 5.  
*Irides* flavæ: spatium inter oculos, gulam, et genas album: *capitis* pennæ apice nigræ: *pedes* ad digitos usque lanati.
22.  
cinerea. Str. cinereo-fuliginosa, nigro transversim lineata, subtus albido cinereo-que nebulosa, regione periophthalmica circulis concentricis nigris.  
Strix cinerea, *Gmel. Syst.* i. p. 291.  
Sooty Owl, *Arct. Zool.* ii. N° 120.  
Cinereous Owl, *Lath. Syn. Sup.* p. 45.  
HABITAT ad *fretum Hudsonis*; per paria volans; muribus et leporibus victitans; magnitudine vix cedit *S. Buboni*.—Long. ped. 2. Lat. ped. 4.—Pond. lib. 3.—*Ovum* obscure maculatum.  
*Rostrum* albidum: *irides* luteæ: *cauda* alternatim fusco albidoque striata: pars cutis angusta a gula ad crissum pennis denudata.
23.  
nebulosa. Str. capite lævi, corpore fusco albido undulatim striato, remige 6to longiore apice nigricante.  
Strix nebulosa, *Phil. Transf.* lxii. p. 424. 2.—*Gmel. Syst.* i. p. 291.  
Grey Owl, *Phil. Transf.* lxii. p. 386.  
Barred Owl, *Arct. Zool.* ii. N° 132. t. 11.—*Lath. Syn.* i. p. 133. 18.  
HABITAT circa *sinum Hudsonis*. Victitat leporibus, lagopedibus, muribusque. Magnit. fere *Str. Nyctææ*.—Long. ped. 2. Lat. ped. 4.—Pond. lib. 3.  
*Rostrum* et *irides* flavæ.
24.  
perspicillata. Str. capite lævi tomentoso albo, regione periophthalmica gula corpore supra fasciaque pectoris rubro-fuscis, abdomine rufo-albo.  
Spectacle Owl, *Lath. Syn. Sup.* p. 50. t. 107.  
HABITAT in *Cayana*; præcedente paulo minor; 21 pollices longa.  
*Caput* parvum, pennis lanæ instar vestitum: *rostrum* flavum: *pedes* ad ungues pennati.
25.  
Aridula. Str. capite lævi, corpore ferrugineo, remige tertio longiore.